

OPAQUE MATERIAL

Application Instructions

Coated with a special adhesive that can be applied to various textiles, plastics, and metals without heat, this fabric can be used in combination with transfer papers as a solution for transferring images onto dark-colored textiles.

PRINTING

- Do not print directly onto this material. It is not a paper for feeding through a copier or printer and could cause damage.
- Print onto the Opaque Material transfer paper by following the recommended instructions.

APPLICATION

- Set temperature to 365°F to 375°F.
- Set at medium-high pressure (approx. 40lbs.).
- Place the printed image onto the Opaque Material. The image should be facing the white polyester fabric.
- Press for 5 seconds. Do not peel the transfer paper from the Opaque Material.
- Let cool completely.
- Cut the image out with scissors or use an X-ACTO® knife. We recommend that you color the edges of the Opaque Material with a Sharpie® marker, using the same color as the garment.
- Peel the Opaque Material from its carrier sheet, exposing the adhesive side.
- Place the Opaque Material onto the fabric. Position the image as desired. CAUTION: Adhesive is very strong.
- Press for 8-12 seconds.
- Peel while hot.

TIP

If using a digital gloss sheet for a shiny finish, place the gloss side towards the image, then press for 8 seconds. Peel the digital gloss sheet when completely cold.

RECOMMENDED FABRICS

- Cotton
- Polyester
- Poly/Cotton Blends
- Lycra®
- Spandex
- Nylon

APPLICATION



5 & 8-12 Seconds



365° - 375° F



Medium-High (40lbs.)



Cold & Hot

CARE

- Wait 24 hours before using or washing the garment for the first time.
- Turn garment inside out. Machine wash in warm or cold water.
- Do not use fabric softener or bleach.
- Do not leave garment in washer.
- Tumble dry on low setting.
- Do not line dry or dry clean.
- Do not use iron on imaged area.

STORAGE

- Store sheets in the plastic bag until actual use to prevent moisture and dust from accumulating.
- Close the bag after each use.